

#16S Pathogenic Identification Process (16sPIP)

#Version 0.1.1

#July 2017

Introduction

16sPIP was developed for rapid pathogen detection in clinical samples based on 16S metagenomic sequencing. 16sPIP is a comprehensive analysis pipeline with multiple integrated parts for the conversion of the data format, quality control, sequence filtering, rapid alignment, generation of the report, and other processes. It was designed with two analysis modes (i.e., the fast and sensitive mode) to enable usage under different working environments.

For the most up to date version of the 16sPIP source code, go to this website:

<https://github.com/jjmiao1314/16sPIP.git>.

16sPIP has been tested on Ubuntu 14.04. It will likely function properly on other Linux distributions, but this has not been tested.

Installation

This version could be only installed in Linux system. If you already installed these programs, you could skip to the next step.

The steps to install 16sPIP on a machine are as follows:

- (1) git clone <https://github.com/jjmiao1314/16sPIP.git>
- (2) cd 16sPIP
- (3) cd bin
- (4) chmod 755 *
- (5) sudo bash installer.sh
- (6) cd ../db
- (7) tar -zxvf 16S-completeBlastdb.tar.gz
tar -zxvf pathogensDB.tar.gz
unzip 16S-completeBwadb1.zip 16S-completeBwadb2.zip 16S-completeBwadb3.zip

Usage

<1> If the user wants to quickly screen 346 pathogens associated with human health:

```
bash 16sPIP.sh -i <forward> -r <reverse>
```

<2> If users want to identify the existence of other species as well as to study the population diversity of microbiome:

```
bash 16sPIP.sh -i <forward> -r <reverse> -f fastq -p <reference_path> -m sensitive  
-t 8
```

<3> If the sample is single-ended sequencing or double-ended sequencing has been merged:

```
bash 16sPIP.sh -i <seq> -f <fastq|fasta>
```

<4> If the user wants to skip quality control:

```
bash 16sPIP.sh -i <forward> -r <reverse> -s step2
```

Note: You can use the following command to view more parameter usage information:

```
bash 16sPIP.sh -h
```